
CCITATION3

English Name	EPA Handler ID (Primary Key)
Oracle Name	HANDLER_ID
Description	Unique RCRA identification number assigned by the implementing State or Region to each RCRA site (e.g., generators; transporters; and treatment, storage, disposal facilities).
Data Type and Length	VARCHAR2 (12)
Allowed Values	Valid ID as outlined below: The ID can be a minimum of 4 characters and a maximum of 12 characters. The first two characters must be a valid state postal code which corresponds to the state in which the handler is located. Spaces are not allowed.
Default Value	
Notes	Handlers associated with Navajo Nation should be assigned Handler IDs beginning with 'NN' regardless of where the handler is physically located.
English Name	Violation Activity Location (Primary Key)
Oracle Name	VIOL_ACTIVITY_LOCATION
Description	Indicates the location of the agency regulating the activity.
Data Type and Length	CHAR (2)
Allowed Values	State postal code
Default Value	
Notes	For a list of valid state postal codes, refer to the Column Information Report for LU_STATE.
English Name	Violation Sequence Number (Primary Key)
Oracle Name	VIOL_SEQ
Description	System-generated sequence number for each violation record.
Data Type and Length	NUMBER (4.0)
Allowed Values	1 - 9,999
Default Value	Next sequential number
English Name	Agency Which Determined Violation (Primary Key)
Oracle Name	VIOL_DETERMINED_BY_AGENCY
Description	The agency that actually determined the violation.
Data Type and Length	CHAR (1)
Allowed Values	E EPA . S State
Default Value	
Notes	The Agency Which Determined the Violation and Violation Responsible Agency must be the same unless a referral (enforcement action 810 or 820) has been issued.

CCITATION3

Only the agency listed in the Violation Responsible Agency field will be allowed to update the violation's Actual Return to Compliance Date and Return to Compliance Qualifier type.

English Name	Citation Sequence Number (Primary Key)
Oracle Name	CITATION_SEQ
Description	System-generated sequence number for each citation record.
Data Type and Length	NUMBER (6.0)
Allowed Values	1 - 999,999
Default Value	Next sequential number

English Name	Violation Type Owner
Oracle Name	VIOL_OWNER
Description	Indicates the agency that defined the Violation Type.
Data Type and Length	CHAR (2)
Allowed Values	HQ Nationally defined
Default Value	

English Name	Violation Type
Oracle Name	VIOL_TYPE
Description	Code indicating the specific area of the RCRA portions of the Federal Code of Regulations covered by the evaluation and/or found to be in violation with RCRA regulations or statutes. Areas generally correspond to subparts of CFR 40: Part 262 for generators, 263 for transporters, and 264/265 for TSDs.
Data Type and Length	VARCHAR2 (10)
Allowed Values	Nationally-defined value in LU_VIOLATION_TYPE

Existing nationally-defined values:

260.C	HW Management System - Rulemaking Petitions General requirements as covered in 40 CFR 260 Subpart C.
261.A	Listing - General General HW identification and listing requirements as covered in 40 CFR 261 Subpart A.
261.B	Listing - Criteria Criteria for identifying the characteristics of HW and for listing HW as covered in 40 CFR 261 Subpart B.
261.C	Listing - Characteristics Characteristics of HW identification as covered in 40 CFR 261 Subpart C.
261.D	Listing - Lists of HW Lists of HW as covered in 40 CFR 261 Subpart D.
262.A	Generators - General General requirements for Generators as covered in 40 CFR 262 Subpart A.
262.B	Generators - Manifest Manifest requirements for Generators as covered in 40 CFR 262 Subpart B.
262.C	Generators - Pre-Transport

CCITATION3

262.D	Pre-transport requirements for Generators as covered in 40 CFR 262 Subpart C. Generators - Records/Reporting
262.E	Recordkeeping and reporting requirements for Generators as covered in 40 CFR 262 Subpart D. Generators - Exports
262.F	Export requirements for Generators as covered in 40 CFR 262 Subpart E. Generators - Imports
262.G	Import requirements for Generators as covered in 40 CFR 262 Subpart F. Generators - Farmers
262.H	Generator requirements for farmers as covered in 40 CFR 262 Subpart G. Generators - Transfrontier Shipments for Recovery
262.I	Generator requirements for transfrontier shipments of hazardous waste for recovery within the OECD as covered in 40 CFR 262 Subpart H. Generators - NY State Public Utilities Project XL
262.J	Generator requirements for the New York State Public Utilities Project XL as covered in 40 CFR 262 Subpart I. Generators - University Laboratories XL Project
263.A	Generator requirements for the University Laboratories XL Project as covered in 40 CFR 262 Subpart J. Transporters - General
263.B	General requirements for transporters as covered in 40 CFR 263 Subpart A. Transporters - Manifest and Recordkeeping
263.C	Manifest and recordkeeping requirements for transporters as covered in 40 CFR 263 Subpart B. Transporters - HW Discharges
264.A	Transporter requirements for managing hazardous waste discharges as covered in 40 CFR 263 Subpart C. TSD - General
264.AA	General requirements for Treatment, Storage, and Disposal facilities (TSDs) as covered in 40 CFR 264 Subpart A. TSD - Air Emission Standards - Process Vents
264.B	Air emission standards for process vents at TSDs as covered in 40 CFR 264 Subpart AA. TSD - General Facility Standards
264.BB	General facility standards for TSDs as covered in 40 CFR 264 Subpart B. TSD - Air Emission Standards - Equipment Leaks
264.C	Air emission standards for equipment leaks at TSDs as covered in 40 CFR 264 Subpart BB. TSD - Preparedness and Prevention
264.CC	Preparedness and prevention standards for TSDs as covered in 40 CFR 264 Subpart C. TSD - Air Emission Standards - Tanks/Surface Impoundments/Containers
264.D	Air emission standards for tanks, surface impoundments, and containers at TSDs as covered in 40 CFR 264 Subpart CC. TSD - Contingency Plan and Emergency Procedures
264.DD	Contingency plan and emergency standards for TSDs as covered in 40 CFR 264 Subpart D. TSD - Containment Building Standards
264.E	Containment building standards for TSDs as covered in 40 CFR 264 Subpart DD. TSD - Manifest/Records/Reporting
264.EE	Manifest system, recordkeeping, and reporting requirements for TSDs as covered in 40 CFR 264 Subpart E. TSD - Munitions/Explosives Storage

CCITATION3

264.F	Hazardous waste munitions and explosives storage standards for TSDs as covered in 40 CFR 264 Subpart EE. TSD - Releases from SWMUs
264.G	Standards governing releases from solid waste management units as covered in 40 CFR Subpart F. TSD - Closure/Post-closure
264.H	Closure and post-closure standards for TSDs as covered in 40 CFR 264 Subpart G. TSD - Financial Requirements
264.I	Financial requirements for TSDs as covered in 40 CFR 264 Subpart H. TSD - Container Use and Management
264.J	Standards for use and management of containers by TSDs as covered in 40 CFR 264 Subpart I. TSD - Tank System Standards
264.K	Standards for TSD tank systems as covered in 40 CFR 264 Subpart J. TSD - Surface Impoundment Standards
264.L	Standards for TSD surface impoundments as covered in 40 CFR 264 Subpart K. TSD - Waste Pile Standards
264.M	Waste pile requirements for TSDs as covered in 40 CFR 264 Subpart L. TSD - Land Treatment Standards
264.N	TSD standards for land treatment as covered in 40 CFR 264 Subpart M. TSD - Landfill Standards
264.O	Landfill standards for TSDs as covered in 40 CFR 264 Subpart N. TSD - Incinerator Standards
264.S	Incinerator standards for TSDs as covered in 40 CFR 264 Subpart O. TSD - Corrective Action for SWMUs
264.W	Standards for Corrective Action at TSD solid waste management units as covered in 40 CFR 264 Subpart S. TSD - Drip Pad Standards
264.X	Drip pad standards for TSDs as covered in 40 CFR 264 Subpart W. TSD - Miscellaneous Units Standards
265.A	Standards for miscellaneous units at TSDs as covered in 40 CFR 264 Subpart X. TSD Interim Status - General
265.AA	General requirements for TSDs in Interim Status as covered in 40 CFR 265 Subpart A. TSD Interim Status - Air Emission Standards - Process Vents
265.B	Air emission standards for process vents at TSDs in Interim Status as covered in 40 CFR 265 Subpart AA. TSD Interim Status - General Facility Standards
265.BB	General facility standards for TSDs in Interim Status as covered in 40 CFR 265 Subpart B. TSD Interim Status - Air Emission Standards - Equipment Leaks
265.C	Air emission standards for equipment leaks at TSDs in Interim Status as covered in 40 CFR 265 Subpart BB. TSD Interim Status - Preparedness and Prevention
265.CC	Preparedness and prevention requirements for TSDs in Interim Status as covered in 40 CFR 265 Subpart C. TSD Interim Status - Air Emission Standards - Tanks/Surface Impoundments/Containers
265.D	Air emission standards for tanks, surface impoundments, and containers at TSDs in Interim Status as covered in 40 CFR 265 Subpart CC. TSD Interim Status - Contingency Plan and Emergency Procedures

CCITATION3

265.DD	Contingency plan and emergency procedures requirements for TSDs in Interim Status as covered in 40 CFR 265 Subpart D. TSD Interim Status - Containment Building Standards
265.E	Containment building standards for TSDs in Interim Status as covered in 40 CFR 265 Subpart DD. TSD Interim Status - Manifest/Records/Reporting
265.EE	Manifest, recordkeeping, and reporting requirements for TSDs in Interim Status as covered in 40 CFR 265 Subpart E. TSD Interim Status - Munitions/Explosives Storage
265.F	Standards for munitions and explosives storage at TSDs in Interim Status as covered in 40 CFR 265 Subpart EE. TSD Interim Status - Groundwater Monitoring
265.G	Groundwater monitoring requirements for TSDs in Interim Status as covered in 40 CFR 265 Subpart F. TSD Interim Status - Closure/Post-closure
265.H	Closure and post-closure requirements for TSDs in Interim Status as covered in 40 CFR 265 Subpart G. TSD Interim Status - Financial Requirements
265.I	Financial requirements for TSDs in Interim Status as covered in 40 CFR 265 Subpart H. TSD Interim Status - Container Use and Management
265.J	Container use and management requirements for TSDs in Interim Status as covered in 40 CFR 265 Subpart I. TSD Interim Status - Tank System Standards
265.K	Tank system standards for TSDs in Interim Status as covered in 40 CFR 265 Subpart J. TSD Interim Status - Surface Impoundment Standards
265.L	Surface Impoundment standards for TSDs in Interim Status as covered in 40 CFR 265 Subpart K. TSD Interim Status - Waste Pile Standards
265.M	Waste pile standards for TSDs in Interim Status as covered in 40 CFR 265 Subpart L. TSD Interim Status - Land Treatment Standards
265.N	Land treatment standards for TSDs in Interim Status as covered in 40 CFR 265 Subpart M. TSD Interim Status - Landfill Standards
265.O	Landfill standards for TSDs in Interim Status as covered in 40 CFR 265 Subpart N. TSD Interim Status - Incinerator Standards
265.P	Incinerator standards for TSDs in Interim Status as covered in 40 CFR 265 Subpart O. TSD Interim Status - Thermal Treatment
265.Q	Thermal treatment standards for TSDs in Interim Status as covered in 40 CFR 265 Subpart P. TSD Interim Status - Chemical, Physical, and Biological Treatment
265.R	Chemical, physical, and biological treatment standards for TSDs in Interim Status as covered in 40 CFR 265 Subpart Q. TSD Interim Status - Underground Injection
265.W	Underground injection standards for TSDs in Interim Status as covered in 40 CFR 265 Subpart R. TSD Interim Status - Drip Pad Standards
266.C	Drip pad standards for TSDs in Interim Status as covered in 40 CFR 265 Subpart W. Specific - Use Constituting Disposal
266.F	Standards for management of recyclable materials used in a manner constituting disposal as covered in 40 CFR 266 Subpart C. Specific - Precious Metal Recovery
266.G	Standards for management of recyclable materials utilized for precious metal recovery as covered in 40 CFR 266 Subpart F. Specific - Batteries Reclaimed

CCITATION3

266.H	Standards for management of spent lead-acid batteries being reclaimed as covered in 40 CFR 266 Subpart G. Specific - Boilers and Industrial Furnaces Standards for management of hazardous waste burned in boilers and industrial furnaces as covered in 40 CFR 266 Subpart H.
266.M	Specific - Military Munitions Standards for management of military munitions as covered in 40 CFR 266 Subpart M.
266.N	Specific - Mixed Waste Exemption Standards for conditional exemption for low-level mixed waste storage, treatment, transportation, and disposal as covered in 40 CFR 266 Subpart N.
266.O	Specific - US Filter Recovery Services XL Waste Standards applicable to U.S. Filter Recovery Services XL Waste and U.S. Filter Recovery Services, Inc. as covered in 40 CFR 266 Subpart O.
268.A	LDR - General General Land Disposal Restriction requirements as covered in 40 CFR 268 Subpart A.
268.B	LDR - Schedule Schedule for land disposal prohibition and establishment of treatment standards as covered in 40 CFR 268 Subpart B.
268.C	LDR - Prohibitions Prohibitions on land disposal as covered in 40 CFR 268 Subpart C.
268.D	LDR - Treatment Standards Treatment standards for Land Disposal Restrictions as covered in 40 CFR 268 Subpart D.
268.E	LDR - Storage Prohibitions Storage prohibitions for Land Disposal Restrictions as covered in 40 CFR 268 Subpart E.
270.A	Permits - General Information General information and requirements for a hazardous waste permit as covered in 40 CFR 270 Subpart A.
270.B	Permits - Application Application requirements for a hazardous waste permit as covered in 40 CFR 270 Subpart B.
270.C	Permits - Conditions Permit conditions for a hazardous waste permit as covered in 40 CFR 270 Subpart C.
270.D	Permits - Changes Changes to hazardous waste permits as covered in 40 CFR 270 Subpart D.
270.E	Permits - Expiration and Continuation Expiration and continuation of hazardous waste permits as covered in 40 CFR 270 Subpart E.
270.F	Permits - Special Forms Special forms of hazardous waste permits as covered in 40 CFR 270 Subpart F.
270.G	Permits - Interim Status Interim status standards for a hazardous waste permit as covered in 40 CFR 270 Subpart G.
270.H	Permits - Remedial Action Plans Remedial action plans (RAPs) as covered in 40 CFR 270 Subpart H.
270.I	Permits - MACT Standards Integration with Maximum Achievable Control Technology (MACT) standards as covered in 40 CFR 270 Subpart I.
271.A	State Authorization Requirements

CCITATION3

273.A	Requirements for authorization of state HW as covered in 40 CFR 271 Subpart A. Universal Waste - General
273.B	General requirements for management of universal waste as covered in 40 CFR 273 Subpart A. Universal Waste - Small Quantity Handlers
273.C	Standards for small quantity handlers of universal waste as covered in 40 CFR 273 Subpart B. Universal Waste - Large Quantity Handlers
273.D	Standards for large quantity handlers of universal waste as covered in 40 CFR 273 Subpart C. Universal Waste - Transporters
273.E	Standards for transporters of universal waste as covered in 40 CFR 273 Subpart D. Universal Waste - Destination Facilities
273.F	Standards for destination facilities of universal waste as covered in 40 CFR 273 Subpart E. Universal Waste - Import Requirements
273.G	Import requirements for universal waste as covered in 40 CFR 273 Subpart F. Universal Waste - Petitions to Include Other Wastes
279.A	Requirements for petitions to include other wastes as covered in 40 CFR 273 Subpart G. Used Oil - Definitions
279.B	Definitions applicable to the standards for management of used oil as covered in 40 CFR 279 Subpart A. Used Oil - Applicability
279.C	Applicability of the standards for management of used oil as covered in 40 CFR 279 Subpart B. Used Oil - Generators
279.D	Standards for used oil generators as covered in 40 CFR 279 Subpart C. Used Oil - Collection Centers and Aggregation Points
279.E	Standards for used oil collection centers and aggregation points as covered in 40 CFR 279 Subpart D. Used Oil - Transporter and Transfer Facilities
279.F	Standards for used oil transporters and transfer facilities as covered in 40 CFR 279 Subpart E. Used Oil - Processors and Re-Refiners
279.G	Standards for used oil processors and re-refiners as covered in 40 CFR 279 Subpart F. Used Oil - Burners of Off-Spec for Energy Recovery
279.H	Standards for used oil burners who burn off-specification used oil for energy recovery as covered in 40 CFR 279 Subpart G. Used Oil - Fuel Marketers
279.I	Standards for used oil fuel marketers as covered in 40 CFR 279 Subpart H. Used Oil - Dust Suppressant and Disposal
FEA	Standards for use as a dust suppressant and disposal of used oil as covered in 40 CFR 279 Subpart I. Formal Enforcement Agreement or Order
FSS	Violation of a formal enforcement agreement or order. Federal or State Statute
PCR	Violation of a federal or equivalent state statute, excluding broader-in-scope state statutes. Permit Condition or Requirement
XXS	Violation of a permit condition or requirement. State Statute or Regulation
	State statutory or regulatory requirements that are broader-in-scope than federal RCRA requirements.

CCITATION3

Default Value	
Notes	Implementers who are broader-in-scope will be able to use Violation Type 'XXS'. Additional clarification should be addressed through the use of the Citation field.
English Name	Citation Owner
Oracle Name	CITATION_OWNER
Description	Indicates the agency that defined the Citation.
Data Type and Length	CHAR (2)
Allowed Values	01 - 10 Region HQ Nationally defined State postal code
Default Value	
English Name	Citation
Oracle Name	CITATION
Description	The citation from Federal or State regulations or statutes that specifies a violation in sufficient detail to distinguish it from other violations intended to be addressed separately by other enforcement actions. These regulation numbers or citations can be found in the Code of Federal Regulations or in State regulation publications. They should be part of the inspection or evaluation report prepared by the person identifying the violation. New violations do not supersede resolved violations of the same regulation.
Data Type and Length	VARCHAR2 (30)
Allowed Values	Nationally- or implementer-defined value in LU_CITATION
Default Value	
Notes	For a list of valid citations, refer to the Citation Lookup Report within RCRAInfo.
English Name	Citation Type
Oracle Name	CITATION_TYPE
Description	Code indicating the origin of the citation listed in regulation violated.
Data Type and Length	CHAR (2)
Allowed Values	Nationally- or implementer-defined value in LU_CITATION
	Existing nationally-defined values:
	FR Federal Regulation Citations of the federal regulations in 40 CFR.
	FS Federal Statute Citations of the federal statute (RCRA).
	OC Order Condition Citations of terms or conditions of a formal enforceable action.
	PC Permit Condition Citations of conditions and requirements of a RCRA permit.
	SR State Regulation

CCITATION3

SS	Citations of State regulations. State Statute
V3	Citations of a State statute. Converted from V2 Code used for conversion of V2 EPA-discovered violations or violations for which EPA is responsible (State transferred the violation to EPA with an 810 enforcement action), since in V3 ALL EPA VIOLATIONS MUST have at least one citation. No new data entry will be allowed for this code.

Default Value

English Name	User ID of Last Change
Oracle Name	USERID
Description	Records the user ID of the last person to change the data.
Data Type and Length	VARCHAR2 (6)
Allowed Values	Valid user ID
Default Value	Current user ID

English Name	Date of Last Change
Oracle Name	LAST_CHANGE
Description	Records the date that the data was last changed.
Data Type and Length	DATE
Allowed Values	Valid date/time stamp
Default Value	Current date and time

English Name	Notes
Oracle Name	NOTES
Description	Additional description or information pertaining to the citation.
Data Type and Length	VARCHAR2 (2000)
Allowed Values	Any value blank Not provided
Default Value	blank

*** End of Report ***